

Standaardfuncties

Display	Illuminated 8 line graphical display, 128x160 pixel, brilliant Color (65k colc
Verlicht display	Yes (amber)
Gecontroleerde bediening	Yes
Navigatie toets	Yes
LED indicatie	Yes
Weergave signaalsterkte	Yes
Oplaad status	Yes
Weergave datum en tijd	Yes
Weergave gespreksduur	Yes
Screensaver	Select screensaver/idle picture (from 8 preloaded, 1 is a big digital clock)

SAR Value

SAR waarde van de Gigaset Handsets	< 0,1 W/kg
------------------------------------	------------

Speciale functies

Handsfree bellen gebruikersvriendelijke handsfree geavanceerde handsfree	Yes with superior sound quality
Ringtones polyphonic real sounds downloadbaar	33 alarm/reminder melodies preinstalled
Alarm call and date reminder	Yes
Paging	Yes
Wandmontage	Yes (base station)
Aantal menutalen in de handset	User guidance in up to 20 languages
Baby phone / room monitoring	Yes
Trillen tijdens oproep	--
Support for Gigaset Repeater	Yes
Telefoonboek kopiëren naar andere handset: via DECT via Bluetooth® via LAN	Yes, with Gigaset QuickSync software between handset and PC (e.g. Blu of contacts (e.g. OUTLOOK™) with PC via vcf-file (upload/download), via phones via Bluetooth; Online Phone Book search (country specific)

Kiesfuncties

Nummerherhaling	Yes, up to 20 different numbers; automatic redial functionality in handset; network provider
Adresboek	250 vCard entries (name, surname, 3 numbers for private, business and r anniversary);VIP-entries and vCard (a specific melody and predefined pic each directory entry)
Pre-dialing	Yes, with correction possibility

Pre-selection of Netprovider	Yes
Call list with timestamp and dialling facility	Yes
Automatic redialing	Yes
Dual Mode	Easy switch from internet (VoIP) to fixed-line by simply pressing a key
Bluetooth features	
Access for headset	Yes
IP Features	
Codecs	G711, G722, G726, G729AB
VoIP Protocol	SIP
VoIP Profiles	Easy selection of provider profiles via handset or Web Server
VoIP Lines	Multiline with up to 6 SIP accounts: Configure up to 6 SIP accounts from c accounts individually to handsets (send & receive direction specifically)
Quality of Service	ToS, Diffserv
VoIP Setup	Firmware Update directly from handset, without file handling
SMS Functionality	
Transmission	Up to 640 characters (concatenation of up to 4 SMS) - provider dependan
Personalized SMS Inbox	1 common + 3 personalized SMS-inboxes
Transmission of e-mails	Yes, separate directory for Email-Addresses (customer/country specific a
Easy-Text-Input-Method	Yes (EATONI)
Analoge Aansluiting	
CLIP	Yes (customer / country specific)
number of analogue access	Up to 6 handsets can be registered; handset for up to 4 base stations
Connection of a door station	Yes, Gigaset Home Control (GHC)
E-mail and Messaging	
E-mail	Direct access to POP3 accounts without PC; new Emails signaled by illun comfortable access to message list, Information about sender, time & date
Messaging	Integration of messaging-services (Google, Yahoo, ICQ, AOL...) by Jabbe 20) with online status, chat, calling of contacts; Illuminated MWI-key signa messages
Mogelijkheden met meer dan 1 handset	
simultaneous calls (conferencing)	2 VoIP and 1 PSTN Call simultaneously (+ 1 internal call or AM access); \n conference (1 external/ 2 internal participants); Two 3-party-conferences s VoIP or PSTN/2 internal participants each + AM access)
Transfer of external calls to another handset	Yes
Phonebook transfer between handsets	Yes
Features of integrated answering machine	
Recording time	Up to 30 minutes
Predefined announcements (plug & play)	1 Individual announcement and 1 advisory announcement (170 Sec.) recd
Time-controlled change between announcement and advisory message	Yes
Date and time announcement	Yes
Answering machine controlling	Call acceptance adjustable: immediately, automatic, after 10, 18, 30 Sec.

Remote playback	Via PIN-protected remote playback (4 digits)
Live recording	Yes
Opnames beschermd tegen stroomuitval	Yes
Time control of answering machine	Recording time adjustable: 1 / 2 / 3 minutes, unlimited
Announcements	Via handset

ECO DECT

60% less power consumption with energy-saving power supply (In comparison to our conventional cordless phones)	Yes
Transmitting power reduced to almost zero when handset is docked ¹	-
ECO Mode: reduces transmitting power by 80% ²	Yes

ECO DECT Handset

60% less power consumption with energy-saving power supply ³	Yes
Variable reduction of transmitting power ⁴	Yes

Technische Specificaties

DECT/GAP	Yes
Handset extension	Up to 6 handsets can be registered
Standby time	Up to 180h
Talk time	Up to 10h
Battery system	2 x NiMH AAA
Range indoor	Up to 50 meters
Range outdoor	Up to 300 meters
Dimensions Handset (L x W x D) in mm	143x50x28mm
Dimensions Basestation (L x W x D) in mm	157x107x46mm
Available colours	Bicolour: black and silver
Interfaces	a/b (analogue);IP/Ethernet
Available accessories	1 Handset, 1 Handset charger, 1 Belt clip, 1 Standalone base station (IP+ batteries (NiMH), 2 Power supply units (base and handset charger), 1 Tel cable, 1 User manual
Dimensions AM Base (L x W x D)	143x93x72
Multibase	Multicell for up to 4 base stations
WDCT	No

Accessoires



S79H
Professioneel geluid



DECT Repeater
Vergroot het bereik.

¹Met slechts 1 aangemelde handset

²Voor alle aangemelde handsets – vergeleken met het gebruik zonder ECO-Modus en met onze standaard draadloze telefoons

³Vergeleken met onze standaard draadloze telefoons

⁴Afhankelijk van de afstand tot het basisstation

TELEFOONS

Draadloze telefoons

Internet telefoons

Bedrade telefoons

KLANTENSERVICE

Veel gestelde vragen

Downloads

Welke handset, welke basis

Handsets aanmelden

Contact

PERS

Berichten

Foto's en afbeeldingen

Films en trailers

Contact

SHOP

Online shop