



Laserprinter	HL-2130	HL-2135W	HL-2240	HL-2240D	HL-2250DN	HL-2270DW
Printsnelheid	tot 20 ppm	tot 20 ppm	tot 24 ppm	tot 24 ppm	tot 26 ppm	tot 26 ppm
Automatische duplex	-	-	-	tot 5 ppm	tot 5 ppm	tot 5 ppm
Printresolutie	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi
Geheugen	8 MB	16 MB	8 MB	8 MB	32 MB	32 MB
Lokale interface	Hi-speed USB 2.0	Hi-speed USB 2.0	Hi-speed USB 2.0	Hi-speed USB 2.0	Hi-speed USB 2.0	Hi-speed USB 2.0
Bekabelde netwerk interface (LAN)	-	-	-	-	10/100 Base-TX	10/100 Base-TX
Draadloze netwerk interface (WLAN)	-	draadloos LAN IEEE802.11b/g	-	-	-	draadloos LAN IEEE802.11b/g/n
Display	4 LED's	4 LED's	4 LED's	4 LED's	4 LED's	4 LED's
Pritnertaal (emulatie)	GDI	GDI	GDI	GDI	PCL6	PCL6
Printer driver	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux
<b>Papier</b>						
Papierlade	250 vel	250 vel	250 vel	250 vel	250 vel	250 vel
Extra papierlade	-	-	-	-	-	-
Handmatige papierinvoer	1 vel	1 vel	1 vel	1 vel	1 vel	1 vel
Papier uitvoer	100 vel	100 vel	100 vel	100 vel	100 vel	100 vel
<b>Verbruiksartikelen</b>						
Meegeleverde toner	circa 700 pagina's *	circa 700 pagina's *	circa 700 pagina's *	circa 700 pagina's *	circa 700 pagina's *	circa 1.200 pagina's *
Standaard toner	TN-2010 (circa 1.000 pagina's *)	TN-2010 (circa 1.000 pagina's *)	TN-2210 (1.200 pagina's *)	TN-2210 (1.200 pagina's *)	TN-2210 (1.200 pagina's *)	TN-2210 (1.200 pagina's *)
Hoge capaciteit toner	-	-	TN-2220 (2.600 pagina's *)	TN-2220 (2.600 pagina's *)	TN-2220 (2.600 pagina's *)	TN-2220 (2.600 pagina's *)
Drum	DR-2200 (circa 12.000 pagina's)	DR-2200 (circa 12.000 pagina's)	DR-2200 (circa 12.000 pagina's)	DR-2200 (circa 12.000 pagina's)	DR-2200 (circa 12.000 pagina's)	DR-2200 (circa 12.000 pagina's)

\* berekend in overeenkomst met ISO/IEC 19752



Laserprinter	HL-5340DL	HL-5440D	HL-5450DN	HL-5470DW	HL-6180DW
Printsnelheid	30 ppm	38 ppm	38 ppm	38 ppm	40 ppm
Automatische duplex	6,5 ppm	9 ppm	9 ppm	9 ppm	9 ppm
Printresolutie	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi	2400 x 600 dpi
Geheugen	16 MB	64 MB	64 MB	128 MB	128 MB
Lokale interface	Hi-speed USB 2.0 / parallel	Hi-speed USB 2.0 / parallel	Hi-speed USB 2.0	Hi-speed USB 2.0	Hi-speed USB 2.0
Bekabelde netwerk interface (LAN)	-	-	10/100 Base-TX	10/100 Base-TX	gigabit 10/100/1000 Base-TX
Draadloze netwerk interface (WLAN)	-	-	-	draadloos LAN IEEE802.11b/g/n	draadloos LAN IEEE802.11b/g/n
Wi-Fi direct™	-	ja	ja	ja	ja
Stille werking	-	ja	ja	ja	ja
Display	5 LED's / 2 knoppen	6 LED's / 2 knoppen	6 LED's / 2 knoppen	verlicht LCD van 1 regel met 16 tekens	verlicht LCD van 1 regel met 16 tekens
Printertaal (emulatie)	PCL6, BR-script3 (Postscript 3), IBM proprinter XL, Epson FX-850	PCL6, BR-script3 (Postscript 3), IBM proprinter XL, Epson FX-850	PCL6, BR-script3 (Postscript 3), IBM proprinter XL, Epson FX-850	PCL6, BR-script3 (Postscript 3), IBM proprinter XL, Epson FX-850	PCL6, BR-script3 (Postscript 3), IBM proprinter XL, Epson FX-850
Printer driver	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux
<b>Papier</b>					
Papierlade (standaard)	250 vel	250 vel	250 vel	250 vel	500 vel
Extra papierlade	optioneel 250 vel (LT-5300) maximaal 2	optioneel 500 vel (LT-5400) maximaal 1	optioneel 500 vel (LT-5400) maximaal 1	optioneel 500 vel (LT-5400) maximaal 1	optioneel 500 vel (LT-5400) maximaal 1
Handmatige papierinvoer	50 vel	50 vel	50 vel	50 vel	50 vel
Papier uitvoer	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad
<b>Mobiele toepassingen</b>					
iPrint&Scan app (voor smartphone/tablets)	-	-	ja	ja	ja
Google Cloud Print	-	-	ja	ja	ja
<b>Verbruiksartikelen</b>					
Meegeleverde toner	circa 2.000 pagina's*	circa 2.000 pagina's*	circa 3.000 pagina's*	circa 3.000 pagina's*	circa 8.000 pagina's*
Standaard toner	TN-3230 (3.000 pagina's*)	TN-3330 (3.000 pagina's*)	TN-3330 (3.000 pagina's*)	TN-3330 (3.000 pagina's*)	TN-3330 (3.000 pagina's*)
Hoge capaciteit toner	TN-3280 (8.000 pagina's*)	TN-3380 (8.000 pagina's*)	TN-3380 (8.000 pagina's*)	TN-3380 (8.000 pagina's*)	TN-3380 (8.000 pagina's*)
Super hoge capaciteit toner	-	-	-	-	TN-3390 (12.000 pagina's*)
Drum	DR-3200 (circa 25.000 pagina's)	DR-3300 (circa 30.000 pagina's)	DDR-3300 (circa 30.000 pagina's)	DR-3300 (circa 30.000 pagina's)	DR-3300 (circa 30.000 pagina's)

\* berekend in overeenkomst met ISO/IEC 19752



Laserprinter	HL-3040CN	HL-3070CW	HL-4140CN	HL-4150CDN	HL-4570CDW	HL-4570CDWT
Printsnelheid (zwart-wit/kleur)	tot 16 ppm / 16 ppm	tot 16 ppm / 16 ppm	tot 22 ppm / 22 ppm	tot 24 ppm / 24 ppm	tot 28 ppm / 28 ppm	tot 28 ppm / 28 ppm
Automatische duplex	-	-	-	7 ppm	7 ppm	7 ppm
Printresolutie	tot 2400 x 600 dpi	tot 2400 x 600 dpi	tot 2400 x 600 dpi	tot 2400 x 600 dpi	tot 2400 x 600 dpi	tot 2400 x 600 dpi
Geheugen	32 MB	64 MB	128 MB	128 MB	128 MB	128 MB
Interface	USB 2.0 / netwerk	USB 2.0 / netwerk draadloos netwerk	USB 2.0 / netwerk	USB 2.0 / netwerk	USB 2.0 / netwerk draadloos netwerk	USB 2.0 / netwerk draadloos netwerk
Bekabelde netwerk interface (LAN)	10/100 Base-TX	10/100 Base-TX	10/100 Base-TX	10/100 Base-TX	10/100 Base-TX	10/100 Base-TX
Draadloze netwerk interface (WLAN)	-	802.11b/g	-	-	802.11b/g	802.11b/g
Camera aansluiting	PictBridge	PictBridge	PictBridge	PictBridge	PictBridge	PictBridge
Direct USB-stick aansluiting	-	ja	ja	ja	ja	ja
Display	1 regels LCD met 16 karakters	1 regels LCD met 16 karakters	2 regels LCD met 16 tekens. 2 LED's	2 regels LCD met 16 tekens. 2 LED's	2 regels LCD met 16 tekens. 2 LED's	2 regels LCD met 16 tekens. 2 LED's
Printertaal (emulatie)	GDI	PCL®6 / BR-Script3 (Postscript 3)	PCL®6 / BR-Script3 (Postscript 3)	PCL®6 / BR-Script3 (Postscript 3)	PCL®6 / BR-Script3 (Postscript 3)	PCL®6 / BR-Script3 (Postscript 3)
Printer driver	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux	Windows / Macintosh / Linux
<b>Papier</b>						
Papierlade (standaard)	250 vel	250 vel	250 vel	250 vel	250 vel	250 vel
Extra papierlade	-	-	optioneel 500 vel (LT-300CL)	optioneel 500 vel (LT-300CL)	optioneel 500 vel (LT-300CL)	500 vel standaard extra papierlade
Handmatige papierinvoer	1 vel	1 vel	50 vel	50 vel	50 vel	50 vel
Papier uitvoer	100 vel / 1 vel rechtdoorvoerpad	100 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad	150 vel / 1 vel rechtdoorvoerpad
<b>Verbruiksartikelen</b>						
Toner	TN-230 (BK, C, M, Y)	TN-230 (BK, C, M, Y)	TN-320 (BK, C, M, Y)	TN-320 (BK, C, M, Y)	TN-320 (BK, C, M, Y)	TN-320 (BK, C, M, Y)
Hoge capaciteit toner	-	-	TN-325 (BK, C, M, Y)	TN-325 (BK, C, M, Y)	TN-325 (BK, C, M, Y)	TN-325 (BK, C, M, Y)
Super hoge capaciteit toner	-	-	-	-	TN-328 (BK, C, M, Y)	TN-328 (BK, C, M, Y)
Drum	DR-230CL	DR-230CL	DR-320CL	DR-320CL	DR-320CL	DR-320CL